



Verve™ Contoured Panels

● Verve™ Ovolo
in Canyon



Feel the space take shape

Inspired by the way light and shadow animate shape, Verve™ moulds static surfaces into sculptural features. Whether rounded or angular, organic or linear, each profile has a unique cross-sectional rhythm—revealing a new perspective with every step.

Six unique patterns are available across the full Cube™ colour palette and selected Surface Finishes. A collection where each contoured panel brings a visual language that shapes your surroundings, blending acoustic performance with expressive design.

To find out more about Verve
visit [autexacoustics.com.au](https://www.autexacoustics.com.au)

The rhythm of form


Every panel is made through our moulding process; the panel is heated and then pressed to create unique contoured forms that transform flat surfaces into sculptural elements, introducing a sense of rhythm and flow that redefines the atmosphere of interior spaces.






Design options


Choose from our range of design options.




Pillar




Pinstripe
(12 mm only)




Ridge



Flute



Windswept



Ovolo

Behind the design —Pillar

Inspired by Roman Pillar, this design features refined contours and balanced proportions that echo classical architecture in a contemporary form.



● Verve™ Pillar
in Opera

Behind the design —Pinstripe


Inspired by vintage interiors, pinstripe features fine, linear detailing that adds subtle form to any interior space.



● Verve™ Pinstripe
in Parthenon

Behind the design —Ridge

Inspired by corrugated surfaces, the repeated ridges create a dynamic surface with an industrial edge that balances visual strength and minimalist design.



● Verve™ Ridge
in Highland

Behind the design —Flute


Inspired by traditional fluted panelling, this design introduces soft repetition and vertical flow, adding quiet detail to contemporary interiors.



● Verve™ Flute
in Gherkin

Behind the design —Windswept


Inspired by wind-swept sand dunes, this panel features gentle, flowing lines that evoke movement and create an organic sense of calm.



● Verve™ Windswept
in Terrace

Behind the design —Ovolo

Inspired by Art Deco, Ovolo features bold geometry and rhythmic symmetry, bringing a sense of luxury.



● Verve™ Ovolo
in Canyon



Colour options


Choose from our range of Cube colours.



Pavillion



Savoye



Flatiron



Empire



Petronas




Opera



Parthenon



Pinnacle




Caspian



Muralla



Falling Water



Acros



Gherkin



Tree House



Highland



Beehive



Senado




Canyon



Sargazo




Terrace



Cavalier

Stone finishes

The use of stone can have varying impacts depending on the style used. Whether you want to bring a touch of elegance or a sense of relaxation, there is a stone fit for your next project.



Carrara



Statuario




Statuario Rose



Travertine



San Pedro



Rojo Alicante



Empress Green



Fossena





Acoustic Timber™ finishes

Bringing tones and textures traditionally found in our natural environment indoors is a powerful way to add character to any space. While being visually impactful, the presence of timber designs helps to improve comfort, engagement, and creativity.



Birch



American Ash



Tasmanian Oak



Hoop Pine



Oak



Boston Oak



Soft Walnut



Coastal Oak




Nordic Oak



Aged Oak



Blackbutt



Black Walnut



Natural Oak



Civic Oak



Coffs Blackbutt



Prime Oak




Yakisugi Black


How to specify

Verve Contoured Panels come in a selection of styles, colours, and finishes designed to complement any project, no matter the vision.


Choose your design




Pillar




Pinstripe
(12 mm only)




Ridge



Flute




Windswept




Ovolo

Choose your panel thickness



Available in two thicknesses. The stated measurements refer to the product's maximum overall thickness.



Colour/finish



Cube (base product colour)



Available in printed Stone range



Available in printed Timber range



Features and benefits

- Delivers excellent acoustic performance
- Six designs available
- Available on both 12 mm and 21 mm Cube panels
- Panel size is 2680 mm x 1170 mm
- Solid colour with no edging or capping required
- Highly durable, providing long-term stability and performance
- Carbon neutral product, made from a minimum of 80% recycled PET
- Made in Australia

Applications

- Decorative and functional acoustic treatment for interior spaces
- Suitable in high humidity areas





We are proud to be a carbon neutral organisation

We have reduced and balanced all carbon emissions from our business operations, including manufacturing to zero.

We offer entirely carbon neutral products

All our products are carbon neutral with emissions offset through certified carbon credits.


0 kg

CO₂-e per kg of product



Sustainability pillars

The five pillars of our sustainability strategy define all aspects of our operations and the products we offer.



01



Climate change demands climate action We are carbon neutral in everything we do.

02



Closing the loop We are advocates for closing the loop on waste. We design with circularity front of mind.

03



Sustainable supply chain We carefully select responsible suppliers and take action to mitigate unethical practices, and encourage good working conditions.

04



Supporting wellbeing in buildings All our products are made using only safe materials. No harmful chemicals are present in our products.

05



Operating a business for purpose and profit We strive to have a positive impact on our environment, our people, and the next generation.

In everything we do



Our journey to carbon neutrality

1967 1990 2012 2017 2020 2021 2022

Founded in Auckland, NZ, creating underfelt for the flooring industry

Established on-line recycling

Reclaimed waste trimmings, **reducing raw material use and associated emissions**


First EPD's published and started measuring **greenhouse gas emissions**

Dematerialisation project which reduced raw material use **by 30% for core product**

We balanced all emissions from our **acoustic products to zero**

We balanced all emissions from our **global operations to zero**

- Australia
- New Zealand
- United States of America
- United Kingdom




How we're fighting climate change

The climate crisis is the biggest issue of our generation. As a product designer and manufacturer, we have an opportunity to help improve the carbon impact of our industry.

Our operational carbon emissions

We are a carbon neutral business. We actively monitor the carbon emissions of our entire operation to better understand our carbon footprint and how we can further reduce emissions. We have an internal strategy to reduce our carbon emissions and have successfully delivered a number of carbon reduction initiatives within our operations. Any carbon emissions that are currently unavoidable are offset through certified carbon credits. We have a commitment to purchase only verified carbon credits that are retired on robust registers to ensure we are driving positive change.


Key business activities contributing to our operational emissions



Embodied carbon of our products

Our products are carbon neutral, and we are the first business in our industry to include the cost of carbon in our products. We consider this an investment in present and future generations, and simply a cost of doing business. We calculate the embodied carbon of our products, from the raw material to the manufacturing gate, using industry recognised ISO standards. We have reduced the carbon footprint of our products through smart design and efficient manufacturing. While the embodied carbon of our products is low, they still do have a carbon impact. We mitigate this through our Carbon Neutral Product Initiative by offsetting the equivalent emissions using certified carbon credits. These carbon credits are generated from projects focused on renewable energy, fuel switching, and reforestation around the world.

Key activities contributing to the embodied carbon of our products





Certifications

Certifying your green building

Autex Acoustics products meet criteria for WELL, LEED, Green Star, and BREEAM building rating systems, helping you achieve certification for your project. For support and guidance on available rating system points, please visit autexglobal.com, or speak with your Autex Acoustics account manager.



Environmental Product Declaration

An Environmental Product Declaration (EPD) is a document that communicates information about the life-cycle environmental impact of a product, including embodied carbon. Our EPDs are created and verified in accordance with ISO 14025 and EN 15804, used for construction products and services.



GreenRate – Level A

GreenRate is a multi-attribute environmental certification that scores products on a range of environmental, health, and social measures. Autex Acoustics products are certified to achieve GreenRate Level A. Level A is the highest GreenRate level and demonstrates the highest level of product sustainability.



Declare – International Living Future Institute

The ingredients in our products have been reviewed against the Living Future Challenge Red List and achieve a Third-Party Verified 'Red List Free' status.



Products achieve the highest 'LBC Red List Free' status when:

- Ingredients are 100% disclosed and are not found in the Red List
- Products are shown to meet VOC emissions limits

We assure the accuracy of our certifications by having our Declare labels independently verified by a third party expert.



Health Product Declaration

A Health Product Declaration (HPD) is a document that reports the ingredients of a product and the health effects associated with these ingredients. A Health Product Declaration has been generated for each of our products.



CDPH Standard

CDPH Standard Method (CA Section 01350) is a widely used standard to evaluate building products for low volatile organic chemicals (VOC) and formaldehyde emissions. All Autex Acoustics products meet the limits set by CDPH and the LEED building rating scheme.



ISO Certifications

ISO 14001 – Environmental Management

Autex Acoustics manufactures under environmental management processes that are ISO certified. This certification gives assurance that we manage any environmental impacts within our operations.



ISO 9001 – Quality Management

Autex Acoustics has a strict quality management system that is ISO certified. Robust quality processes from raw material through to product release help ensure our products meet expectations.



ISO 45001 – Health and Safety Management

Autex Acoustics manufacturing operations have an ISO 45001 certified Health and Safety Management System to ensure the safety and wellbeing of our people.



In everything we do

● **New Zealand**
702-718 Rosebank Road,
Private Bag 19988
Avondale 1746, Auckland
T 0800 428 839
T +64 9 828 9179
autexacoustics.co.nz

● **Australia**
285 Swan Street,
Richmond, VIC 3121
T 1800 678 160
T +61 3 9450 6700
autexacoustics.com.au

● **United Kingdom**
Unit J4, Lowfields Way,
Lowfields Business Park,
Elland, West Yorkshire
HX5 9DA
T +44 0 142 241 8899
autexacoustics.co.uk

● **United States**
1630 Dan Kipper Drive,
Riverside, CA 92507
T +1 424 203 1813
autexacoustics.com

Autex is an ISO certified organisation encompassing Quality (ISO 9001), Environmental (ISO 14001), and Health and Safety (ISO 45001). Brand names and logos are registered or unregistered trademarks owned or used under license by Autex Industries Limited or other members of the Autex Group. © Copyright 2024 Autex Industries Ltd. All rights reserved. It is the user's responsibility to determine if the product and information presented in this document is suitable for the intended application by engaging a suitably qualified consultant. The information contained in this document is correct to the best of our knowledge at the date of its publication. To verify that this document is the most current publication please check our website or contact your Autex Acoustics account manager.